

**TYPICAL SECTION**


**END POST**

**INTERMEDIATE PANEL**

**ELECTROLIER PANEL**

**EXPANSION JOINT**  
(SIMILAR TO ELECTROLIER PANEL)

**ELEVATION**  
1" = 1'-0"




**TYPICAL DETAILS**

**ALTERNATIVE DETAILS**

**END BRACE DETAILS**

1/2" = 1'-0"



NOTE:  
A two sided tension band is an allowable alternative for Intermediate Chain Link Panels

**TOP CABLE ANCHORAGE DETAIL**

NO SCALE

**NOTES:**

1. Posts shall be vertical.
2. Railing shall conform to horizontal and vertical alignment.
3. When rail is on slope, place fabric parallel to post.
4. Alternative details may be submitted by the Contractor for Engineer approval.
5. Provide thimbles at all cable loops
6. Peen all 3/8" \* bolts
7. See "GENERAL PLAN" for end post location
8. At intermediate posts only. Contractor has the option of either 1/8" x 2" strap or 1/4" anchor plate with eyebolt
9. For "SECTION A-A", see "CHAIN LINK RAILING TYPE 2 DETAILS No. 2" sheet

NOTE:  
THE CONTRACTOR MUST VERIFY ALL CONTROLLING FIELD DIMENSIONS BEFORE ORDERING OR FABRICATING ANY MATERIAL.