

DEPARTMENT OF TRANSPORTATION
DIVISION OF ENGINEERING SERVICES
 OFFICE ENGINEER, MS 43
 1727 30TH STREET
 P.O. BOX 168041
 SACRAMENTO, CA 95816-8041
 FAX (916) 227-6214
 TTY (916) 227-8454



*Flex your power!
 Be energy efficient!*

**** WARNING ** WARNING ** WARNING ** WARNING ****
This document is intended for informational purposes only.

Users are cautioned that California Department of Transportation (Department) does not assume any liability or responsibility based on these electronic files or for any defective or incomplete copying, excerpting, scanning, faxing or downloading of the contract documents. As always, for the official paper versions of the bidders packages and non-bidder packages, including addenda write to the California Department of Transportation, Plans and Bid Documents, Room 0200, P.O. Box 942874, Sacramento, CA 94272-0001, telephone (916) 654-4490 or fax (916) 654-7028. Office hours are 7:30 a.m. to 4:15 p.m. When ordering bidder or non-bidder packages it is important that you include a telephone number and fax number, P.O. Box and street address so that you can receive addenda.

July 3, 2008

03-Nev-80-R5.2/R11.2, 13.3
 03-0A6334

Addendum No. 4

Dear Contractor:

This addendum is being issued to the contract for construction on State highway in NEVADA COUNTY NEAR TRUCKEE FROM 0.1 MILE EAST OF THE CASTLE PEAK ROAD UNDERCROSSING TO 2.1 MILES EAST OF DONNER LAKE UNDERCROSSING AND AT DONNER PARK OVERCROSSING.

Submit bids for this work with the understanding and full consideration of this addendum. The revisions declared in this addendum are an essential part of the contract.

Bids for this work will be opened on July 15, 2008.

This addendum is being issued to revise the Project Plans, the Notice to Contractors and Special Provisions, the Proposal and Contract.

Project Plan Sheets 151, 173, 177, 179, 181, 183, 185, 187, 189, 191, 193, 199, 205, 207, 209, 213, 217, 230, 236 and 252 are revised. Half-sized copies of the revised sheets are attached for substitution for the like-numbered sheets.

In the Special Provisions, Section 10-101, "ORDER OF WORK," the following paragraph is added after the thirteenth paragraph:

"In conformance with the provisions in "Cooperation" of these special provisions, Stage 2 Phase 2 and Stage 2 Phase 3 work shall not begin until the 2011 construction season."

In the Special Provisions, Section 10-1.18, "COOPERATION," the following is added to the table in the first paragraph:

03-4a2404	Nev-80-R5.6	Near Truckee	Replace building
-----------	-------------	--------------	------------------

In the Special Provisions, Section 10-1.52, "JOINTED PLAIN CONCRETE PAVEMENT," subsection "DOWEL PLACEMENT," in the "Dowel bar placement at transverse and longitudinal weakened plane joints" table, the vertical depth is revised as follows:

"(d/3 +1/2 inch) from pavement surface to top of dowel bar or 5/8 inch below planned placement."

Addendum No. 4
Page 2
July 3, 2008

03-Nev-80-R5.2/R11.2, 13.3
03-0A6334

In the Proposal and Contract, the Engineer's Estimate Item 119 is revised as attached.

To Proposal and Contract book holders:

Replace page 8 of the Engineer's Estimate in the Proposal with the attached revised page 8 of the Engineer's Estimate. The revised Engineer's Estimate is to be used in the bid.

Inquiries or questions in regard to this addendum must be communicated as a bidder inquiry and must be made as noted in the NOTICE TO CONTRACTORS section of the Notice to Contractors and Special Provisions.

Indicate receipt of this addendum by filling in the number of this addendum in the space provided on the signature page of the proposal.

Submit bids in the Proposal and Contract book you now possess. Holders who have already mailed their book will be contacted to arrange for the return of their book.

Inform subcontractors and suppliers as necessary.

This office is sending this addendum by GSO overnight mail to Proposal and Contract book holders to ensure that each receives it. A copy of this addendum is available for the contractor's use on the Internet Site:

http://www.dot.ca.gov/hq/esc/oe/weekly_ads/addendum_page.html

If you are not a Proposal and Contract book holder, but request a book to bid on this project, you must comply with the requirements of this letter before submitting your bid.

Sincerely,

ORIGINAL SIGNED BY

ROBERT E. TRAVIS, Chief
Office of Plans, Specifications & Estimates
Division of Engineering Services - Office Engineer

Attachments

**ENGINEER'S ESTIMATE
03-0A6334**

101 (S-F)	560219	INSTALL SIGN STRUCTURE (TRUSS)	LB	42,802		
102	560244	FURNISH LAMINATED PANEL SIGN (1"-TYPE A)	SQFT	560		
103	560245	FURNISH LAMINATED PANEL SIGN (1"-TYPE B)	SQFT	60		
104	560248	FURNISH SINGLE SHEET ALUMINUM SIGN (0.063"-UNFRAMED)	SQFT	220		
105	560249	FURNISH SINGLE SHEET ALUMINUM SIGN (0.080"-UNFRAMED)	SQFT	660		
106	560251	FURNISH SINGLE SHEET ALUMINUM SIGN (0.063"-FRAMED)	SQFT	120		
107	560252	FURNISH SINGLE SHEET ALUMINUM SIGN (0.080"-FRAMED)	SQFT	250		
108 (S)	561016	60" CAST-IN-DRILLED-HOLE CONCRETE PILE (SIGN FOUNDATION)	LF	96		
109	566011	ROADSIDE SIGN - ONE POST	EA	52		
110	566012	ROADSIDE SIGN - TWO POST	EA	11		
111	568001	INSTALL SIGN (STRAP AND SADDLE BRACKET METHOD)	EA	4		
112	568016	INSTALL SIGN PANEL ON EXISTING FRAME	SQFT	230		
113	650014	18" REINFORCED CONCRETE PIPE	LF	6,950		
114	650018	24" REINFORCED CONCRETE PIPE	LF	1,240		
115	665024	24" CORRUGATED STEEL PIPE (.109" THICK)	LF	31		
116	665032	30" CORRUGATED STEEL PIPE (.109" THICK)	LF	3		
117	665718	18" SLOTTED CORRUGATED STEEL PIPE (.168" THICK)	LF	1,910		
118	680905	8" PERFORATED PLASTIC PIPE UNDERDRAIN	LF	30,400		
119	682001	PERMEABLE MATERIAL	CY	240		
120	690112	12" CORRUGATED STEEL PIPE DOWNDRAIN (.079" THICK)	LF	270		