

DEPARTMENT OF TRANSPORTATION
DIVISION OF ENGINEERING SERVICES
OFFICE ENGINEER, MS 43
1727 30TH STREET
P.O. BOX 168041
SACRAMENTO, CA 95816-8041
FAX (916) 227-6214
TTY (916) 227-8454



*Flex your power!
Be energy efficient!*

**** WARNING ** WARNING ** WARNING ** WARNING ****
This document is intended for informational purposes only.

Users are cautioned that California Department of Transportation (Department) does not assume any liability or responsibility based on these electronic files or for any defective or incomplete copying, excerpting, scanning, faxing or downloading of the contract documents. As always, for the official paper versions of the bidders packages and non-bidder packages, including addenda write to the California Department of Transportation, Plans and Bid Documents, Room 0200, P.O. Box 942874, Sacramento, CA 94272-0001, telephone (916) 654-4490 or fax (916) 654-7028. Office hours are 7:30 a.m. to 4:15 p.m. When ordering bidder or non-bidder packages it is important that you include a telephone number and fax number, P.O. Box and street address so that you can receive addenda.

November 14, 2007

03-Pla-89-T13.8/22.1
03-2A9214
ACSTP-P089(090)E

Addendum No. 3

Dear Contractor:

This addendum is being issued to the contract for construction on State highway in PLACER COUNTY NEAR TAHOE CITY FROM ROUTE 89/28 JUNCTION TO SQUAW VALLEY ROAD.

Submit bids for this work with the understanding and full consideration of this addendum. The revisions declared in this addendum are an essential part of the contract.

Bids for this work will be opened on December 11, 2007.

This addendum is being issued to revise the Project Plans, the Notice to Contractors and Special Provisions, and the Proposal and Contract.

Project Plan Sheets 3, 4, 5, 6, 8, 10, 11, 12, 13, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 27, 28, 34, 35, 36, 37, 38, 39, 40, 41, 50, 55, 56, 59, 62, 70, 72, 73, 82, 85, 86, 87, 88, 90, 92, 93, 103, 104, 105, 106, 107, 108, 109, 110, 111, 112, 113, 114, 115, 116, 117, 118, 119, 120, 121, 122, 123, 124, 125, 126, 137, 139, 140, 141, 143, 145, 146, 147, 148, 149, 150, 151, 152, 153, 154, 155, 159, 161, 227, 228, 230, 233, 234, 235, 237, 238, 241, 242, 244, and 245 are revised. Half-sized copies of the revised sheets are attached for substitution for the like-numbered sheets.

In the Special Provisions, Section 4, "BEGINNING OF WORK, TIME OF COMPLETION, AND LIQUIDATED DAMAGES," the first and second paragraphs are revised with the following three paragraphs:

"The first working day is the eighty-fifth day after contract approval.

The Contractor shall not begin work at the job site, except for measuring controlling field dimensions and locating utilities, until the following submittals are received and approved by the Engineer:

1. Baseline Progress Schedule (Critical Path Method)
2. Notification of Dispute Review Board (DRB) nominee and disclosure statement

In addition to the above submittals, the Contractor shall not begin work at the job site, except for measuring controlling field dimensions and locating utilities, until 30 days after the following submittal is received and approved by the Engineer:

3. Storm Water Pollution Prevention Plan (SWPPP)"

03-Pla-89-T13.8/22.1
03-2A9214
ACSTP-P089(090)E

In the Special Provisions, Section 4, "BEGINNING OF WORK, TIME OF COMPLETION, AND LIQUIDATED DAMAGES," the fourth paragraph is revised as follows:

"The Contractor may begin work at the job site before the eighty-fifth day after contract approval if:

1. The Contractor submits and obtains required approvals for the submittals before the eighty-fifth day
2. Authorized by the Engineer in writing"

In the Special Provisions, Section 10-1.01, "ORDER OF WORK," the following sentences are added to the second paragraph:

"A Caltrans Archaeologist shall be on site to delineate the Archaeological Monitoring Area (AMA) located at the Environmentally Sensitive Area (ESA) as shown on the plans. Attention is directed to "Archaeological Monitoring Area" elsewhere in these special provisions."

In the Special Provisions, Section 10-1.015, "ARCHAEOLOGICAL MONITORING AREA," is added as attached.

In the Special Provisions, Section 10-1.11, "TEMPORARY FENCE (TYPE ESA)," under "MATERIALS", the following subsection is added after the subsection "Fasteners":

"Signs

The sign legend and dimensions shall be as shown on the plans. The sign shall be weatherproof and fade-proof and may include plastic laminated printed paper affixed to an inflexible weatherproof backer board. The sign panel shall be affixed to the high visibility fabric with tie wire or locking plastic fasteners. The top of the sign panel shall be flush with the top of the high visibility fabric. Sign panels shall be placed at 30 m apart along the length of the temporary fence (Type ESA), and at each end of the fence."

In the Special Provisions, Section 10-1.11, "TEMPORARY FENCE (TYPE ESA)," in "MEASUREMENT AND PAYMENT," the second paragraph is revised as follows:

"Full compensation for providing the ESA fence signs including maintaining, removing, and disposing of temporary fence (Type ESA) with signs shall be considered as included in the contract price paid per meter for temporary fence (Type ESA) and no additional compensation will be allowed therefor."

In the Special Provisions, Section 10-1.31, "EXISTING HIGHWAY FACILITIES," subsection, "REMOVE ASPHALT CONCRETE SURFACING," the fifth paragraph is revised as follows:

"The contract price paid per square meter for remove asphalt concrete surfacing shall include full compensation for furnishing all labor, materials, tools, equipment, and incidentals, and for doing all the work involved in removing asphalt concrete surfacing, as specified in the Standard Specifications and these special provisions, and as directed by the Engineer."

In the Special Provisions, Section 10-1.31, "EXISTING HIGHWAY FACILITIES," subsection, "REMOVE BASE AND SURFACING," the first sentence of the first paragraph is revised as follows:

"Existing base and bituminous surfacing shown on the plans to be removed, shall be removed."

03-Pla-89-T13.8/22.1
03-2A9214
ACSTP-P089(090)E

In the Special Provisions, Section 10-1.365, "EROSION CONTROL (BLANKET)," is added as attached.

In the Special Provisions, Section 10-1.55, "CORRUGATED HIGH DENSITY POLYETHYLENE PIPE," the following paragraph is added:

"Full compensation for replacing asphalt concrete (Type A) and class 2 aggregate base as shown on the plans for trench backfill at cross culvert locations shall be considered as included in the contract price paid per meter for the various sizes of corrugated high density polyethylene pipe involved and no separate payment will be made therefor."

In the Special Provisions, Section 10-3.03, "CONDUIT," the second paragraph is deleted.

In the Special Provisions, Section 10-3.03, "CONDUIT," the fourth paragraph is revised as follows:

"After conductors have been installed, the ends of all conduits shall be sealed with an approved type of sealing compound."

In the Special Provisions, Section 10-3.05, "BONDING AND GROUNDING," the first sentence of the fifth paragraph is revised as follows:

"Equipment bonding and grounding conductors are required in conduits, except when the conduits contain combinations of fiber optic cable, or signal interconnect cable."

In the Special Provisions, Section 10-3.06, "DETECTORS," the following paragraph is added:

"Detector handhole covers shall be secured with two 8 mm x 38 mm screws which shall be composed of brass, stainless steel or other non-corroding metal material."

In the Proposal and Contract, the Engineer's Estimate Items 3, 37, 44, 63, 76, 88, 95, 97, 105, 106, and 112 are revised, Items 141, and 142 are added and Item 140 is deleted as attached.

To Proposal and Contract book holders:

Replace the entire Engineer's Estimate in the Proposal with the attached revised Engineer's Estimate. The revised Engineer's Estimate is to be used in the bid.

Inquiries or questions in regard to this addendum must be communicated as a bidder inquiry and must be made as noted in the NOTICE TO CONTRACTORS section of the Notice to Contractors and Special Provisions.

Indicate receipt of this addendum by filling in the number of this addendum in the space provided on the signature page of the proposal.

Submit bids in the Proposal and Contract book you now possess. Holders who have already mailed their book will be contacted to arrange for the return of their book.

Inform subcontractors and suppliers as necessary.

Addendum No. 3
Page 4
November 14, 2007

03-Pla-89-T13.8/22.1
03-2A9214
ACSTP-P089(090)E

This office is sending this addendum by GSO overnight mail to Proposal and Contract book holders to ensure that each receives it. A copy of this addendum is available for the contractor's use on the Web site:

http://www.dot.ca.gov/hq/esc/oe/weekly_ads/addendum_page.html

If you are not a Proposal and Contract book holder, but request a book to bid on this project, you must comply with the requirements of this letter before submitting your bid.

Sincerely,

ORIGINAL SIGNED BY

REBECCA D. HARNAGEL, Chief
Office of Plans, Specifications & Estimates
Division of Engineering Services - Office Engineer

Attachments

10-1.015 ARCHAEOLOGICAL MONITORING AREA

An archaeological monitoring area (AMA) within and near the limits of construction is shown on the plans. The Department assigns an archaeological monitor to monitor job site activities within the AMA. Work within an AMA shall conform to the requirements of the section of these special provisions entitled "Archaeological Discoveries" and these special provisions. Do not work within the AMA unless the archeological monitor is present.

The Engineer conducts a field review with you and the Department archaeological monitor of the location of AMAs shown on the plans at least 5 days before start of work. The Engineer will determine and mark the exact boundaries of the AMA at the job site.

Before starting work, install temporary fence (Type ESA) to define the boundaries of the AMA.

Notify the Engineer in writing at least 5 days before starting work within an AMA, and include with the notification a schedule of days and hours to be worked.

If an archaeological find is discovered within an AMA, stop all work within a 18.5 meter radius of the find. Archaeological materials found are the property of the State. Do not resume work within the 18.5 meter radius of the find until the Engineer gives you written approval. If, in the opinion of the Engineer, completion of the work is delayed or interfered with by reason of an archaeological find or investigation or recovery of archeological materials, you will be compensated for resulting losses, and an extension of time will be granted, in the same manner as provided for in Section 8-1.09, "Right of Way Delays," of the Standard Specifications.

The Department may use other forces to investigate and recover archaeological materials from the site of an AMA. When ordered by the Engineer, furnish labor, material, tools and equipment, to assist in the investigation or recovery of archaeological materials within the AMA and the cost will be paid for as extra work as provided in Section 4-1.03D, "Extra Work," of the Standard Specifications.

10-1.365 EROSION CONTROL (BLANKET)

Erosion control (blanket) shall conform to the details shown on standard plan T54 and T55 of the 2004 Standard Plans, the provisions in Section 20-3, "Erosion Control," of the Standard Specifications and these special provisions.

Erosion control (blanket) work shall consist of erosion control blanket to embankment slopes, excavation slopes and other areas designated by the Engineer.

MATERIALS

Materials shall conform to the provisions in Section 20-2, "Materials," of the Standard Specifications and these special provisions.

Erosion Control Blanket

Erosion control blanket shall consist of straw or wood excelsior mats secured in place with wire staples and shall conform to the following:

1. Excelsior blanket material shall consist of machine produced mats of curled wood excelsior with 80 percent of the fiber 150 mm or longer. The erosion control blanket shall be of consistent thickness and the wood fiber shall be evenly distributed over the entire area of the blanket. The top surface of the blanket shall be covered with extruded photo-degradable plastic netting or lightweight nonsynthetic netting. The blanket shall be smolder resistant without the use of chemical additives and shall be non-toxic and non-injurious to plant and animal life. Erosion control blanket shall be furnished in rolled strips, 1220 mm \pm 25 mm in width, and shall have an average mass of 0.5-kg/m² \pm 10 percent at the time of manufacture.
2. Straw blanket shall be machine produced mats of straw with a lightweight photo-degradable netting on top. The straw shall be adhered to the netting with biodegradable thread or glue strip. The straw erosion control blanket shall be of consistent thickness and the straw shall be evenly distributed over the entire area of the blanket. Straw erosion control blanket shall be furnished in rolled strips with a minimum width of 2 m, minimum length of 25 m \pm one m and a minimum mass of 0.27-kg/m².
3. Staples for erosion control blankets shall be made of 11-gage minimum steel wire and shall be U-shaped with 150-mm legs and 25-mm crown or 200-mm legs and 50-mm crown.

APPLICATION

Erosion control (blanket) materials shall be placed in separate applications as follows:

1. The application shall consist of installing the erosion control blanket over the previously placed Erosion Control (Type I) and Erosion Control (Type D).
2. Erosion control blanket strips shall be placed loosely on the slope with the longitudinal joints perpendicular to the slope contour lines. Longitudinal and transverse joints of blankets shall be butted snugly against adjacent strips or overlapped according to the manufacturer's recommendations and stapled. Staples shall be driven perpendicular to the slopes, and shall be located and spaced in conformance with the manufacturer's instructions. Ends of the blankets shall be secured in place in conformance with the manufacturer's instructions.

MEASUREMENT AND PAYMENT

The quantity of erosion control (blanket) will be determined by the square meter from actual slope measurement of the area covered by the erosion control blanket.

The contract price paid per square meter for erosion control (blanket) shall include full compensation for furnishing all labor, materials, tools, equipment, and incidentals, and for doing all the work involved in installing erosion control blanket, complete in place including furnishing the materials for the erosion control blanket, as shown on the plans, as specified in the Standard Specifications and these special provisions, and as directed by the Engineer.

**ENGINEER'S ESTIMATE
03-2A9214**

Item No.	Item Code	Item Description	Unit of Measure	Estimated Quantity	Unit Price	Item Total
1	070012	PROGRESS SCHEDULE (CRITICAL PATH METHOD)	LS	LUMP SUM	LUMP SUM	
2	070018	TIME-RELATED OVERHEAD	WDAY	300		
3	071325	TEMPORARY FENCE (TYPE ESA)	M	880		
4	011810	PROTECTION OF MIGRATORY BIRDS	LS	LUMP SUM	LUMP SUM	
5	074016	CONSTRUCTION SITE MANAGEMENT	LS	LUMP SUM	LUMP SUM	
6	074019	PREPARE STORM WATER POLLUTION PREVENTION PLAN	LS	LUMP SUM	LUMP SUM	
7	011811	DEWATERING (WATER POLLUTION CONTROL)	LS	LUMP SUM	LUMP SUM	
8	074028	TEMPORARY FIBER ROLL	M	8720		
9	074029	TEMPORARY SILT FENCE	M	8720		
10	074032	TEMPORARY CONCRETE WASHOUT FACILITY	EA	12		
11	074033	TEMPORARY CONSTRUCTION ENTRANCE	EA	6		
12	074034	TEMPORARY COVER	M2	2700		
13	074038	TEMPORARY DRAINAGE INLET PROTECTION	EA	230		
14	074039	TEMPORARY HYDRAULIC MULCH (POLYMER STABILIZED FIBER MATRIX)	M2	9000		
15	074041	STREET SWEEPING	LS	LUMP SUM	LUMP SUM	
16	011812	TEMPORARY CREEK DIVERSION SYSTEM	LS	LUMP SUM	LUMP SUM	
17 (S)	120090	CONSTRUCTION AREA SIGNS	LS	LUMP SUM	LUMP SUM	
18 (S)	120100	TRAFFIC CONTROL SYSTEM	LS	LUMP SUM	LUMP SUM	
19 (S)	011813	TEMPORARY PAVEMENT MARKING (PAINT-2 COAT)	M2	180		
20 (S)	120151	TEMPORARY TRAFFIC STRIPE (TAPE)	M	1500		

**ENGINEER'S ESTIMATE
03-2A9214**

Item No.	Item Code	Item Description	Unit of Measure	Estimated Quantity	Unit Price	Item Total
21 (S)	011814	TEMPORARY TRAFFIC STRIPE (PAINT-2 COAT)	M	70 700		
22 (S)	120165	CHANNELIZER (SURFACE MOUNTED)	EA	19		
23 (S)	128650	PORTABLE CHANGEABLE MESSAGE SIGN	LS	LUMP SUM	LUMP SUM	
24 (S)	129000	TEMPORARY RAILING (TYPE K)	M	550		
25 (S)	129100	TEMPORARY CRASH CUSHION MODULE	EA	11		
26	150206	ABANDON CULVERT	EA	6		
27	150662	REMOVE METAL BEAM GUARD RAILING	M	1210		
28	150668	REMOVE FLARED END SECTION	EA	2		
29 (S)	011815	REMOVE PAINTED TRAFFIC STRIPE (TEMPORARY)	M	35 400		
30 (S)	150711	REMOVE PAINTED TRAFFIC STRIPE	M	1530		
31 (S)	011816	REMOVE PAINTED PAVEMENT MARKING (TEMPORARY)	M2	90		
32	150742	REMOVE ROADSIDE SIGN	EA	75		
33	150748	REMOVE ROADSIDE SIGN PANEL	EA	1		
34	150771	REMOVE ASPHALT CONCRETE DIKE	M	260		
35	150801	REMOVE OVERSIDE DRAIN	EA	1		
36	150805	REMOVE CULVERT	M	220		
37	150820	REMOVE INLET	EA	23		
38	150821	REMOVE HEADWALL	EA	8		
39	150823	REMOVE DOWNDRAIN	EA	5		
40	150846	REMOVE CONCRETE PAVEMENT	M2	80		

**ENGINEER'S ESTIMATE
03-2A9214**

Item No.	Item Code	Item Description	Unit of Measure	Estimated Quantity	Unit Price	Item Total
41	150857	REMOVE ASPHALT CONCRETE SURFACING	M2	60		
42	150860	REMOVE BASE AND SURFACING	M3	110		
43 (S)	152320	RESET ROADSIDE SIGN	EA	2		
44	152430	ADJUST INLET	EA	22		
45	011817	ADJUST SLOTTED CORRUGATED STEEL PIPE BEARING BAR TO GRADE	M	430		
46 (S)	153103	COLD PLANE ASPHALT CONCRETE PAVEMENT	M2	5460		
47	153215	REMOVE CONCRETE (CURB AND GUTTER)	M	95		
48	153218	REMOVE CONCRETE SIDEWALK	M2	220		
49	155003	CAP INLET	EA	3		
50	160101	CLEARING AND GRUBBING	LS	LUMP SUM	LUMP SUM	
51	190101	ROADWAY EXCAVATION	M3	6170		
52	190110	LEAD COMPLIANCE PLAN	LS	LUMP SUM	LUMP SUM	
53 (F)	011818	STRUCTURE EXCAVATION (TYPE DC)	M3	16.1		
54 (F)	192037	STRUCTURE EXCAVATION (RETAINING WALL)	M3	1240		
55 (F)	193013	STRUCTURE BACKFILL (RETAINING WALL)	M3	793		
56 (F)	193031	PERVIOUS BACKFILL MATERIAL (RETAINING WALL)	M3	30		
57	194001	DITCH EXCAVATION	M3	160		
58 (S)	203016	EROSION CONTROL (TYPE D)	M2	18 000		
59 (S)	203021	FIBER ROLLS	M	410		
60 (S)	011819	EROSION CONTROL (SOD STRIP)	M2	60		

**ENGINEER'S ESTIMATE
03-2A9214**

Item No.	Item Code	Item Description	Unit of Measure	Estimated Quantity	Unit Price	Item Total
61 (S)	203026	MOVE-IN/MOVE-OUT (EROSION CONTROL)	EA	9		
62 (S)	011820	COIR MESH	M2	1220		
63 (S)	011821	EROSION CONTROL (TYPE I)	M2	4120		
64 (S)	011822	ROCK COLORATION	LS	LUMP SUM	LUMP SUM	
65 (S)	011823	CONCRETE COLORATION	LS	LUMP SUM	LUMP SUM	
66 (S)	204099	PLANT ESTABLISHMENT WORK	LS	LUMP SUM	LUMP SUM	
67 (S)	011824	CAMCOUPLER ASSEMBLY	EA	3		
68 (S-F)	208250	25 MM PLASTIC PIPE (PR 200) (SUPPLY LINE)	M	102		
69 (S-F)	208251	32 MM PLASTIC PIPE (PR 200) (SUPPLY LINE)	M	27		
70 (S)	208465	SPRINKLER (TYPE A-5)	EA	18		
71	260201	CLASS 2 AGGREGATE BASE	M3	6000		
72	390095	REPLACE ASPHALT CONCRETE SURFACING	M3	490		
73	390104	ASPHALT CONCRETE	TONN	28 300		
74	394002	PLACE ASPHALT CONCRETE (MISCELLANEOUS AREA)	M2	55		
75 (F)	510060	STRUCTURAL CONCRETE, RETAINING WALL	M3	407		
76 (F)	510502	MINOR CONCRETE (MINOR STRUCTURE)	M3	257		
77	510526	MINOR CONCRETE (BACKFILL)	M3	20		
78	511047	ANTI-GRAFFITI COATING	M2	490		
79	011825	ARCHITECTURAL TEXTURE (RUBBLE MASONRY)	M2	490		
80 (S-F)	520106	BAR REINFORCING STEEL (EPOXY COATED)	KG	22 143.8		

**ENGINEER'S ESTIMATE
03-2A9214**

Item No.	Item Code	Item Description	Unit of Measure	Estimated Quantity	Unit Price	Item Total
81	566011	ROADSIDE SIGN - ONE POST	EA	66		
82	566012	ROADSIDE SIGN - TWO POST	EA	7		
83	568001	INSTALL SIGN (STRAP AND SADDLE BRACKET METHOD)	EA	1		
84 (S)	597600	PREPARE AND PAINT CONCRETE	M2	490		
85	011826	200 MM PLASTIC PIPE (SCHEDULE 40)	M	51		
86	011827	300 MM PLASTIC PIPE (SCHEDULE 40)	M	5		
87	011828	300 MM CORRUGATED HIGH DENSITY POLYETHYLENE PIPE (TYPE S)	M	37		
88	011829	450 MM CORRUGATED HIGH DENSITY POLYETHYLENE PIPE (TYPE S)	M	710		
89	011830	600 MM CORRUGATED HIGH DENSITY POLYETHYLENE PIPE (TYPE S)	M	160		
90	011831	750 MM CORRUGATED HIGH DENSITY POLYETHYLENE PIPE (TYPE S)	M	58		
91	664010	300 MM CORRUGATED STEEL PIPE (2.01 MM THICK)	M	3		
92	664015	450 MM CORRUGATED STEEL PIPE (2.01 MM THICK)	M	8		
93	664020	600 MM CORRUGATED STEEL PIPE (2.01 MM THICK)	M	12		
94	665733	450 MM SLOTTED CORRUGATED STEEL PIPE (2.01 MM THICK)	M	220		
95	682001	PERMEABLE MATERIAL	M3	68		
96	690167	450 MM CORRUGATED STEEL PIPE DOWNDRAIN (2.77 MM THICK)	M	14		
97	700659	900 MM CORRUGATED STEEL PIPE INLET (2.77 MM THICK)	M	25		
98	705044	450 MM STEEL FLARED END SECTION	EA	26		
99	705045	600 MM STEEL FLARED END SECTION	EA	9		
100	705047	750 MM STEEL FLARED END SECTION	EA	4		

**ENGINEER'S ESTIMATE
03-2A9214**

Item No.	Item Code	Item Description	Unit of Measure	Estimated Quantity	Unit Price	Item Total
101	705952	200 MM GATE VALVE	EA	1		
102	707247	1200 MM PRECAST CONCRETE PIPE MANHOLE	EA	2		
103	720120	ROCK SLOPE PROTECTION (1/2T, METHOD A)	M3	43		
104	721009	ROCK SLOPE PROTECTION (FACING, METHOD B)	M3	300		
105	729010	ROCK SLOPE PROTECTION FABRIC	M2	1740		
106	731501	MINOR CONCRETE (CURB)	M3	910		
107	731502	MINOR CONCRETE (MISCELLANEOUS CONSTRUCTION)	M3	160		
108	731504	MINOR CONCRETE (CURB AND GUTTER)	M3	220		
109	731516	MINOR CONCRETE (DRIVEWAY)	M3	10		
110	731517	MINOR CONCRETE (GUTTER)	M	310		
111	731521	MINOR CONCRETE (SIDEWALK)	M3	30		
112 (S-F)	750001	MISCELLANEOUS IRON AND STEEL	KG	20 479		
113	011832	CONCRETE BARRIER DELINEATOR (400 MM)	EA	15		
114	820108	DELINEATOR (CLASS 2)	EA	205		
115	820112	MARKER (CULVERT)	EA	140		
116	011833	HIGHWAY POST MARKER	EA	10		
117	820151	OBJECT MARKER (TYPE L-1)	EA	17		
118 (S)	832061	METAL BEAM GUARD RAILING (2.1 M WOOD POST)	M	840		
119 (S)	839521	CABLE RAILING	M	210		
120 (S)	839541	TRANSITION RAILING (TYPE WB)	EA	12		

**ENGINEER'S ESTIMATE
03-2A9214**

Item No.	Item Code	Item Description	Unit of Measure	Estimated Quantity	Unit Price	Item Total
121 (S)	839576	END CAP (TYPE A)	EA	8		
122 (S)	839577	END CAP (TYPE TA)	EA	6		
123 (S)	839581	END ANCHOR ASSEMBLY (TYPE SFT)	EA	4		
124 (S)	839584	ALTERNATIVE IN-LINE TERMINAL SYSTEM	EA	3		
125 (S)	839585	ALTERNATIVE FLARED TERMINAL SYSTEM	EA	10		
126 (S)	839603	CRASH CUSHION (ADIEM)	EA	1		
127	839701	CONCRETE BARRIER (TYPE 60)	M	46		
128	011834	CONCRETE BARRIER (TYPE 60 MOD)	M	81		
129	839704	CONCRETE BARRIER (TYPE 60D)	M	230		
130 (S)	011835	THERMOPLASTIC PAVEMENT MARKING (RECESSED)	M2	21		
131 (S)	011836	200 MM THERMOPLASTIC TRAFFIC STRIPE (RECESSED)	M	780		
132 (S)	840559	100 MM THERMOPLASTIC TRAFFIC STRIPE (RECESSED) (BROKEN 5.18 M - 2.14 M)	M	150		
133 (S)	840572	100 MM THERMOPLASTIC TRAFFIC STRIPE (RECESSED)	M	15 100		
134 (S)	840573	100 MM THERMOPLASTIC TRAFFIC STRIPE (RECESSED, BROKEN 10.98 M - 3.66 M)	M	2850		
135 (S)	840575	100 MM TWO-COMPONENT PAINT TRAFFIC STRIPE	M	16 200		
136 (S)	840661	TWO-COMPONENT PAINT PAVEMENT MARKING	M2	73		
137 (S)	011837	MODIFY ROADSIDE WEATHER INFORMATION SYSTEM (RWIS)	LS	LUMP SUM	LUMP SUM	
138 (S)	860890	MODIFY TRAFFIC MONITORING STATION (COUNT)	LS	LUMP SUM	LUMP SUM	
139 (S)	861502	MODIFY SIGNAL	LS	LUMP SUM	LUMP SUM	
140	BLANK					

**ENGINEER'S ESTIMATE
03-2A9214**

Item No.	Item Code	Item Description	Unit of Measure	Estimated Quantity	Unit Price	Item Total
141 (S)	203001	EROSION CONTROL (BLANKET)	M2	1140		
142	999990	MOBILIZATION	LS	LUMP SUM	LUMP SUM	

TOTAL BID: _____