

DEPARTMENT OF TRANSPORTATION

DES-OE MS #43
1727 30TH Street, 2ND Floor
Sacramento, CA 95816



**** WARNING ** WARNING ** WARNING ** WARNING ****
This document is intended for informational purposes only.

Users are cautioned that California Department of Transportation (Department) does not assume any liability or responsibility based on these electronic files or for any defective or incomplete copying, excerpting, scanning, faxing or downloading of the contract documents. As always, for the official paper versions of the bidders packages and non-bidder packages, including addenda write to the California Department of Transportation, Plans and Bid Documents, Room 0200, P.O. Box 942874, Sacramento, CA 94272-0001, telephone (916) 654-4490 or fax (916) 654-7028. Office hours are 7:30 a.m. to 4:15 p.m. When ordering bidder or non-bidder packages it is important that you include a telephone number and fax number, P.O. Box and street address so that you can receive addenda.

July 9, 2002

03-Nev,Sie-80-45.2/51.1, 0.0/2.6
03-2C5704
ACIM-080-4(173)E

Addendum No. 2

Dear Contractor:

This addendum is being issued to the contract for construction on State highway in NEVADA AND SIERRA COUNTIES NEAR FLORISTON FROM THE TRUCKEE RIVER BRIDGE TO THE NEVADA STATE LINE.

Submit bids for this work with the understanding and full consideration of this addendum. The revisions declared in this addendum are an essential part of the contract.

Bids for this work will be opened on July 16, 2002.

This addendum is being issued to revise the Notice to Contractors and Special Provisions.

In the Special Provisions, Section 10-1.02, "WATER POLLUTION CONTROL (STORM WATER POLLUTION PREVENTION PLAN)," subsection "STORM WATER POLLUTION PREVENTION PLAN PREPARATION, APPROVAL AND AMENDMENTS," the second paragraph is revised as follows:

"No work having potential to cause water pollution, as determined by the Engineer, shall be performed until the SWPPP has been approved by the Engineer and as provided in these special provisions."

In the Special Provisions, Section 10-1.02, "WATER POLLUTION CONTROL (STORM WATER POLLUTION PREVENTION PLAN)," subsection "STORM WATER POLLUTION PREVENTION PLAN PREPARATION, APPROVAL AND AMENDMENTS," the fourth paragraph is revised as follows:

"Within 20 days after the approval of the contract, the Contractor shall submit 3 copies of the draft SWPPP to the Engineer. The Engineer will have 3 days to review the SWPPP. If revisions are required, as determined by the Engineer, the Contractor shall revise and resubmit the SWPPP within 3 days of receipt of the Engineer's comments. The Engineer will have 3 days to review the revisions. Upon the Engineer's approval of the SWPPP, 4 approved copies of the SWPPP, incorporating the required changes, shall be submitted to the Engineer. The Engineer shall submit the SWPPP to the Lahontan Regional Water Quality Control Board (LRWQCB) for approval no later than 30 days prior to the beginning of construction activities. Modifications proposed by the LRWQCB shall be included in the plans prior to beginning construction activities. Construction activities shall not begin until the LRWQCB has had a minimum of 30 days to review and request modifications to the SWPPP, unless otherwise directed by the Engineer. If the Engineer does not review or approve the SWPPP within the time specified, compensation will be made in conformance with the provisions in Section 8-1.09, "Right of Way Delays," of the Standard Specifications."

Addendum No. 2
Page 2
July 9, 2002

03-Nev,Sie-80-45.2/51.1, 0.0/2.6
03-2C5704
ACIM-080-4(173)E

In the Special Provisions, Section 10-1.02, "WATER POLLUTION CONTROL (STORM WATER POLLUTION PREVENTION PLAN)," subsection "SWPPP IMPLEMENTATION," the first paragraph under "Rainy Season Requirements" is revised as follows:

"Soil stabilization and sediment control practices conforming to the requirements in the Special Requirements and applicable Preparation Manual Minimum Requirements, shall be provided throughout the rainy season, defined as between August 1 and October 1 and between November 1 and May 1."

In the Special Provisions, Section 10-1.02, "WATER POLLUTION CONTROL (STORM WATER POLLUTION PREVENTION PLAN)," subsection "SWPPP IMPLEMENTATION," the following is added after the section "Non-Rainy Season Requirements":

"Prohibition of Soil Disturbance Requirements

In accordance with the Water Quality Control Plan for the Lahontan Region, soil disturbance shall not occur from October 15 of the current year through May 1 of the following year."

In the Special Provisions, Section 10-1.23, "RUBBERIZED ASPHALT CONCRETE (TYPE G)," subsection "GENERAL," the following paragraph is added after the seventh paragraph:

"In addition to the requirements for the Rubberized Asphalt Concrete (type G) mixture for air voids, the Rubberized Asphalt Concrete (Type G) used in production shall have a minimum air voids of 4 % and a maximum air voids of 6%, as determined by California Test Method 308, Method A."

To Proposal and Contract book holders:

- Indicate receipt of this addendum by filling in the number of this addendum in the space provided on the signature page of the proposal.
- Submit bids in the Proposal and Contract book you now possess. Holders who have already mailed their book will be contacted to arrange for the return of their book.
- Inform subcontractors and suppliers as necessary.

This office is sending this addendum by confirmed facsimile to all book holders to ensure that each receives it.

If you are not a Proposal and Contract book holder, but request a book to bid on this project, you must comply with the requirements of this letter before submitting your bid.

Sincerely,

ORIGINAL SIGNED BY:

REBECCA D. HARNAGEL, Chief
Office of Plans, Specifications & Estimates
Office Engineer