

DEPARTMENT OF TRANSPORTATION
DIVISION OF ENGINEERING SERVICES
OFFICE ENGINEER, MS 43
1727 30TH STREET
P.O. BOX 168041
SACRAMENTO, CA 95816-8041
FAX (916) 227-6214
TTY 711



*Flex your power!
Be energy efficient!*

January 13, 2010

03-ED-50-R28.1
03-3E4604

Addendum No. 1

Dear Contractor:

This addendum is being issued to the contract for CONSTRUCTION ON STATE HIGHWAY IN EL DORADO COUNTY NEAR CAMINO AT CAMINO SAND STORAGE FACILITY.

Submit bids for this work with the understanding and full consideration of this addendum. The revisions declared in this addendum are an essential part of the contract.

Bids for this work will be opened on Wednesday, January 20, 2010.

This addendum is being issued to revise the Project Plans, the Notice to Bidders and Special Provisions.

Project Plan Sheets 35 and 39 are revised. Copies of the revised sheets are attached for substitution for the like-numbered sheets.

In the Special Provisions, Section 12-7.02, "METAL ROOF AND SIDING," (Subsection "PART 2-PRODUCTS," Subsection "SHEET MATERIALS,") the second paragraph is revised as follows:

"Configuration:

Metal roofing shall be standing seam system with standing seams a minimum of 1 ¾ inches high and spaced not less than 12 inches nor more than 18 inches on center. Fasteners shall be concealed.

Metal siding system shall have symmetrically shaped trapezoidal ribs spaced approximately 7 inches on center. The depth of the ribs shall be approximately 1 ½ inches."

Addendum No. 1
Page 2
January 13, 2010

03-ED-50-R28.1
03-3E4604

To Bid book holders:

Inquiries or questions in regard to this addendum must be communicated as a bidder inquiry and must be made as noted in the Notice to Bidders section of the Notice to Bidders and Special Provisions.

Indicate receipt of this addendum by filling in the number of this addendum in the space provided on the signature page of the Bid book.

Submit bids in the Bid book you now possess. Holders who have already mailed their book will be contacted to arrange for the return of their book.

Inform subcontractors and suppliers as necessary.

This addendum and attachments are available for the Contractors' download on the Web site:

http://www.dot.ca.gov/hq/esc/oe/project_ads_addenda/03/03-3E4604

If you are not a Bid book holder, but request a book to bid on this project, you must comply with the requirements of this letter before submitting your bid.

Sincerely,

ORIGINAL SIGNED BY

REBECCA D. HARNAGEL
Chief, Office of Plans, Specifications & Estimates
Office Engineer
Division of Engineering Services

Attachments