

DEPARTMENT OF TRANSPORTATION

DES-OE MS #43
1727 30TH Street, 2ND Floor
Sacramento, CA 95816



**** WARNING ** WARNING ** WARNING ** WARNING ****
This document is intended for informational purposes only.

Users are cautioned that California Department of Transportation (Department) does not assume any liability or responsibility based on these electronic files or for any defective or incomplete copying, excerpting, scanning, faxing or downloading of the contract documents. As always, for the official paper versions of the bidders packages and non-bidder packages, including addenda write to the California Department of Transportation, Plans and Bid Documents, Room 0200, P.O. Box 942874, Sacramento, CA 94272-0001, telephone (916) 654-4490 or fax (916) 654-7028. Office hours are 7:30 a.m. to 4:15 p.m. When ordering bidder or non-bidder packages it is important that you include a telephone number and fax number, P.O. Box and street address so that you can receive addenda.

May 14, 2003

04-SBt,SCI-25-95.7/96.7,0.0/4.0
04-448504
ACSTPHG-P025(024)E

Addendum No. 1

Dear Contractor:

This addendum is being issued to the contract for construction on State highway in SAN BENITO AND SANTA CLARA COUNTIES NEAR GILROY FROM 1.0 KM SOUTH OF PAJARO RIVER BRIDGE TO ROUTE 25/101 SEPARATION.

Submit bids for this work with the understanding and full consideration of this addendum. The revisions declared in this addendum are an essential part of the contract.

Bids for this work will be opened on May 21, 2003.

This addendum is being issued to revise the Project Plans, and the Proposal and Contract.

Project Plan Sheet 167 is revised as follows:

The table for "Roadway Quantities", the column for "AC (TypeA)", row 1, station limits; "H 137+85 to H 187+60"; the quantity is changed from "14,985" tonnes to "26,835" tonnes.

The table for "Roadway Quantities", the column for "AC (TypeA)", the "Total" is changed from "15,910" tonnes to "27,760" tonnes.

In the Proposal and Contract, the Engineer's Estimate Item 50 is revised as attached.

To Proposal and Contract book holders:

Replace page 5 of the Engineer's Estimate in the Proposal with the attached revised page 5 of the Engineer's Estimate. The revised Engineer's Estimate is to be used in the bid.

Indicate receipt of this addendum by filling in the number of this addendum in the space provided on the signature page of the proposal.

Submit bids in the Proposal and Contract book you now possess. Holders who have already mailed their book will be contacted to arrange for the return of their book.

Inform subcontractors and suppliers as necessary.

Addendum No. 1
Page 2
May 14, 2003

04-SBt,SCI-25-95.7/96.7,0.0/4.0
04-448504
ACSTPHG-P025(024)E

This office is sending this addendum by confirmed facsimile to all book holders to ensure that each receives it. A copy of this addendum and the modified wage rates are available for the contractor's use on the Internet Site:

http://www.dot.ca.gov/hq/esc/oe/weekly_ads/addendum_page.html

If you are not a Proposal and Contract book holder, but request a book to bid on this project, you must comply with the requirements of this letter before submitting your bid.

Sincerely,

ORIGINAL SIGNED BY

REBECCA D. HARNAGEL, Chief
Office of Plans, Specifications & Estimates
Office Engineer

Attachment

ENGINEER'S ESTIMATE
04-448504

Item	Item Code	Item	Unit of Measure	Estimated Quantity	Unit Price	Item Total
41 (S)	203014	FIBER (EROSION CONTROL)	KG	5100		
42 (S)	203024	COMPOST (EROSION CONTROL)	KG	15 000		
43 (S)	203026	MOVE-IN/MOVE-OUT (EROSION CONTROL)	EA	5		
44 (S)	203045	PURE LIVE SEED (EROSION CONTROL)	KG	800		
45 (S)	203061	STABILIZING EMULSION (EROSION CONTROL)	KG	1100		
46 (S)	204013	PLANT (GROUP M)	EA	4450		
47	260301	CLASS 3 AGGREGATE BASE	M3	12 500		
48	290211	ASPHALT TREATED PERMEABLE BASE	M3	170		
49	390145	REPLACE ASPHALT CONCRETE SURFACING	M3	1600		
50	390153	ASPHALT CONCRETE (TYPE A)	TONN	28 000		
51	394002	PLACE ASPHALT CONCRETE (MISCELLANEOUS AREA)	M2	3100		
52	394044	PLACE ASPHALT CONCRETE DIKE (TYPE C)	M	120		
53	394048	PLACE ASPHALT CONCRETE DIKE (TYPE E)	M	3000		
54	394049	PLACE ASPHALT CONCRETE DIKE (TYPE F)	M	250		
55	031130	RUMBLE STRIP (ASPHALT CONCRETE, ROLLED-IN INDENTATION) (300 MM)	STA	92		
56	031131	RUMBLE STRIP (ASPHALT CONCRETE, GROUND-IN INDENTATION) (300 MM)	STA	1.4		
57	031132	RUMBLE STRIP (ASPHALT CONCRETE, ROLLED-IN INDENTATION) (600 MM)	STA	37		
58	031133	RUMBLE STRIP (ASPHALT CONCRETE, GROUND-IN INDENTATION) (600 MM)	STA	0.7		
59	397001	ASPHALTIC EMULSION (PAINT BINDER)	TONN	100		
60 (S-F)	510135	CLASS 2 CONCRETE (HEADWALL)	M3	7.8		