

DEPARTMENT OF TRANSPORTATION

DES-OE MS #43
1727 30TH Street, 2ND Floor
Sacramento, CA 95816



**** WARNING ** WARNING ** WARNING ** WARNING ****
This document is intended for informational purposes only.

Users are cautioned that California Department of Transportation (Department) does not assume any liability or responsibility based on these electronic files or for any defective or incomplete copying, excerpting, scanning, faxing or downloading of the contract documents. As always, for the official paper versions of the bidders packages and non-bidder packages, including addenda write to the California Department of Transportation, Plans and Bid Documents, Room 0200, P.O. Box 942874, Sacramento, CA 94272-0001, telephone (916) 654-4490 or fax (916) 654-7028. Office hours are 7:30 a.m. to 4:15 p.m. When ordering bidder or non-bidder packages it is important that you include a telephone number and fax number, P.O. Box and street address so that you can receive addenda.

October 10, 2002

07-LA-101-S0.0/S2.1
07-134804
ACSTPHG-Q101(014)E

Addendum No. 3

Dear Contractor:

This addendum is being issued to the contract for construction on State highway in LOS ANGELES COUNTY IN LOS ANGELES FROM 7TH STREET OVERCROSSING TO ROUTE 101/10 SEPARATION.

Submit bids for this work with the understanding and full consideration of this addendum. The revisions declared in this addendum are an essential part of the contract.

Bids for this work will be opened on October 24, 2002. The original bid opening date was previously postponed indefinitely under Addendum No. 2 dated August 5, 2002.

This addendum is being issued to set a new bid opening date as shown herein and revise the Project Plans, the Notice to Contractors and Special Provisions, the Proposal and Contract, and the Federal Minimum Wages with Modification Number 15 dated 10-04-02. A copy of the modified wage rates are available for the contractor's use on the Internet Site:

http://www.dot.ca.gov/hq/esc/oe/weekly_ads/addendum_page.html

Project Plan Sheets 16A, 16B, 16C and 16D are added. Half-sized copies of the added sheets are attached for addition to the project plans.

In the Special Provisions, Section 10-1.235, "ARCHITECTURAL SURFACE (TEXTURED CONCRETE)" is added as attached.

In the Proposal and Contract, the Engineer's Estimate Items 73 and 74 are added and Item 72 is deleted as attached.

To Proposal and Contract book holders:

Replace page 5 of the Engineer's Estimate in the Proposal with the attached revised page 5 of the Engineer's Estimate. The revised Engineer's Estimate is to be used in the bid.

Indicate receipt of this addendum by filling in the number of this addendum in the space provided on the signature page of the proposal.

Submit bids in the Proposal and Contract book you now possess. Holders who have already mailed their book will be contacted to arrange for the return of their book.

Inform subcontractors and suppliers as necessary.

Addendum No. 3
Page 2
October 10, 2002

07-LA-101-S0.0/S2.1
07-134804
ACSTPHG-Q101(014)E

This office is sending this addendum by UPS overnight mail to Proposal and Contract book holders to ensure that each receives it.

If you are not a Proposal and Contract book holder, but request a book to bid on this project, you must comply with the requirements of this letter before submitting your bid.

Sincerely,

ORIGINAL SIGNED BY

REBECCA D. HARNAGEL, Chief
Office of Plans, Specifications & Estimates
Office Engineer

Attachments

10-1.235 ARCHITECTURAL SURFACE (TEXTURED CONCRETE)

Architectural texture for images on concrete surfaces shall conform to the details shown on the plans and the provisions in Section 51, "Concrete Structures," of the Standard Specifications and these special provisions.

Architectural textures listed below are required for images on concrete barriers as shown on the plans:

A. Heavy blast texture

The heavy abrasive blast texture shall be an architectural texture accomplished by abrasive blasting the surface of the concrete to produce a generally uniform color and sandy texture with air and water bubbles in the concrete partially exposed. Sandblast relief shall be a minimum of 2 mm depth and a maximum depth of 4 mm as measured from the face of the concrete barrier and as directed by the Engineer. Templates for images shall be 4 gauge spring steel. All templates shall become the property of the State for maintenance and repair of the images at the conclusion of graffiti abatement coating operations. The Contractor shall deliver the steel templates to a nearby storage facility as directed by the Engineer.

The architectural texture for images shall be constructed to the dimensions, shapes, sequences and locations shown on the plans. Corners at the intersection of plane surfaces shall be sharp and crisp without easing or rounding. A surface finish consisting of concrete stain conforming to Federal Standard 595B Color #32544, shall be applied to each architectural textured image. The concrete stain shall be a non-fading, permanent chemical stain for exterior, cured concrete surfaces and shall be applied, neutralized and sealed according to manufacturer's instructions. Concrete stain shall not be applied to any surface outside the architectural textured image. A minimum of two coats shall be applied as directed by the Engineer.

A permanent graffiti abatement coating compatible with the surface finish and approved by the Engineer shall be applied to all architectural textured images. The permanent graffiti abatement coating shall be applied according to manufacturers instructions.

TEST PANEL

A test panel at least 0.91 m x 0.45 m in size showing an architectural textured image of a palm tree in an arch shall be successfully completed at a location approved by the Engineer before beginning work on architectural textured images. The test panel shall be constructed and finished with the materials, tools, equipment and methods to be used in constructing the architectural texture, including concrete stain and graffiti abatement coating.

The test panel approved by the Engineer shall be used as the standard of comparison in determining acceptability of architectural texture for concrete surfaces.

MEASUREMENT AND PAYMENT

Architectural textured images will be measured and paid for by the unit. Each unit shall consist of one image.

The contract unit price paid for architectural textured images of types listed on the plans shall include full compensation for furnishing all labor, materials, tools, equipment, and incidentals and for doing all the work involved in architectural textured images, complete in place, including test panels, templates, abrasive blasting, surface finish, graffiti abatement coating, and delivery of templates to storage location, as shown on the plans, as specified in the Standard Specifications and these special provisions, and as directed by the Engineer.

ENGINEER'S ESTIMATE
07-134804

Item	Item Code	Item	Unit of Measure	Estimated Quantity	Unit Price	Item Total
61	839708	CONCRETE BARRIER (TYPE 60GC)	M	380		
62 (F)	049015	CONCRETE BARRIER (TYPE 732)MODIFIED	M	397.6		
63 (S)	840515	THERMOPLASTIC PAVEMENT MARKING	M2	9		
64 (S)	840561	100 MM THERMOPLASTIC TRAFFIC STRIPE	M	7860		
65 (S)	840563	200 MM THERMOPLASTIC TRAFFIC STRIPE	M	710		
66 (S)	840564	200 MM THERMOPLASTIC TRAFFIC STRIPE (BROKEN 3.66 M - 0.92 M)	M	1410		
67 (S)	840570	100 MM THERMOPLASTIC TRAFFIC STRIPE (BROKEN 10.98 M - 3.66 M)	M	6850		
68 (S)	840655	PAINT TRAFFIC STRIPE (1-COAT)	M	11 900		
69 (S)	850101	PAVEMENT MARKER (NON-REFLECTIVE)	EA	1870		
70 (S)	850111	PAVEMENT MARKER (RETROREFLECTIVE)	EA	1240		
71	861504	MODIFY LIGHTING AND SIGN ILLUMINATION	LS	LUMP SUM	LUMP SUM	
72	BLANK					
73	030030	ARCHITECTURAL TEXTURED IMAGES	EA	552		
74	999990	MOBILIZATION	LS	LUMP SUM	LUMP SUM	

TOTAL BID: _____