

DEPARTMENT OF TRANSPORTATION

DIVISION OF ENGINEERING SERVICES

OFFICE ENGINEER

1727 30th Street MS-43

P.O. BOX 168041

SACRAMENTO, CA 95816-8041

FAX (916) 227-6214

www.dot.ca.gov/hq/esc/oe



*Serious Drought.
Help save water!*

November 10, 2015

08-Riv-10,60-6.3/7.0, 30.3/30.5

08-OR4704

Project ID 0812000087

ACNHP-X065(104)E

Addendum No. 1

Dear Contractor:

This addendum is being issued to the contract for CONSTRUCTION ON STATE HIGHWAY IN BEAUMONT ON ROUTE 10 FROM 0.7 MILES EAST OF OAK VALLEY PARKWAY TO 0.1 MILE EAST OF VEILE AVENUE UNDERCROSSING AND ON ROUTE 60 FROM UNION PACIFIC RAILROAD TO ROUTE 10 to revise the project plans, the *Notice to Bidders and Special Provisions*.

Submit bids for this work with the understanding and full consideration of this addendum. The revisions declared in this addendum are an essential part of the contract.

Bids for this work will be opened on Tuesday, November 17, 2015.

Project plan sheets 19A, 19B, 19C, and 19D, are added and attached for addition to the project plans.

In the *Notice to Bidders and Special Provisions*, in the "STANDARD PLANS LIST," the following Standard Plans are added as follows:

"RSP ES-1A, RSP ES-1B, RSP ES-1C, RSP ES-8A, T59."

In the Special Provisions, Section 12-2.02, the fifth paragraph is replaced as follows:

"The legend for the type of project on construction project funding signs must read as follows:

ROADSIDE WORK."

In the Special Provisions, Section 20-2.07B(2)(a), the second paragraph is replaced as follows:

"The irrigation controllers within Department highway areas must be CALSENSE and must have 2-way communication by radio to existing Wireless Vehicle Detection Station (WVDS) then to the existing centralized server then to the existing base stations via Ethernet Communications. The vendor must install any necessary software and conduct any initial software or proprietary website setup configuration for communications between controller and any web-enabled device".

Addendum No.1
Page 2
November 10, 2015

08-Riv-10,60-6.3/7.0, 30.3/30.5
08-0R4704
Project ID 0812000087
ACNHP-X065(104)E

In the Special Provisions, Section 20-2.07B(2)(a), the fourth paragraph is replaced as follows:

The Department has obtained quoted prices excluding sales tax and delivery for the equipment shown in the following table:

Equipment description	Quoted price	Quantity	Total Price	12Controller identification
Calsense 12-Station Irrigation Controller with Ethernet Modem "EN", Remote and Transient Protection Package	\$3,873.50	1	\$3,873.50	No. ET2000e-12-EN-RRe-TPP-RReWHIPPOLE-LMR 195db40'

To *Bid* book holders:

Inquiries or questions in regard to this addendum must be communicated as a bidder inquiry and must be made as noted in the *Notice to Bidders* section of the *Notice to Bidders and Special Provisions*.

Submit the *Bid* book as described in the *Electronic Bidding Guide* at the Bidders' Exchange website.

http://www.dot.ca.gov/hq/esc/oe/electronic_bidding/electronic_bidding.html

Inform subcontractors and suppliers as necessary.

This addendum, EBS addendum file, and attachments are available for the Contractors' download on the Web site:

http://www.dot.ca.gov/hq/esc/oe/project_ads_addenda/08/08-0R4704

If you are not a *Bid* book holder, but request a book to bid on this project, you must comply with the requirements of this letter before submitting your bid.

Sincerely,



JOHN BULINSKI
District Director

Attachments